

Vesmach

YOUR BAKERY SOLUTIONS PROVIDER

Product Name:

Cooker Mixer Oil jacketed

MODEL: GF280A - 50L, 80L, 150L, 200L

Features:

- Stove base is fixed - this means that after the filling/ingredient is cooked it has to be manually removed
- Heated by gas
- Double-layer pot which means that a heat insulating cotton is placed between the layers of the stove base for preventing injuries from burning
- For heating the first bowl, it takes longer time, but when the temperature rise up to the higher temperature, it is not easy to lower down, which can conserve the energy usage
- Mixer blades are either teflon board or wooden board
- Density is measured by 15°C: 868 kg/m³ and Vapor Pressure (mmhg) is < 0.1; Thermal Oil is sg. 0.8816



Purpose:

This machine is used for mixing or cooking products like mongo, ube jam, coco jam, polvoron, sauces, siopao filling and many more

*We reserve the right to change all technical specifications.

Vesmach

YOUR BAKERY SOLUTIONS PROVIDER

Product Name:

Cooker Mixer Oil jacketed

MODEL: GF280A - 50L, 80L, 150L, 200L

Specifications | 50L

Power	3/4 HP, 220V, 1 PH
Speed	15 RPM
Initial Boiling Point	> 355°C
Bucket Capacity	50 Liters
Mixing Capacity	20 kg
Bowl Dimension	Ø610 mm x 300 mm (depth)
Dimension	L 85 x W 90 x H 165 cm

Specifications | 80L

Power	1 HP, 220V, 1 PH
Speed	15 RPM
Initial Boiling Point	> 355°C
Bucket Capacity	80 Liters
Mixing Capacity	30 kg
Bowl Dimension	Ø715 mm x 320 mm (depth)
Dimension	L 100 x W 100 x H 160 cm

Specifications | 150L

Power	1.5 HP, 220V, 1 PH
Speed	15 RPM
Initial Boiling Point	> 355°C
Bucket Capacity	150 Liters
Mixing Capacity	60 kg
Bowl Dimension	Ø850 mm x 380 mm (depth)
Dimension	L 115 x W 115 x H 170 cm

Specifications | 200L

Power	2 HP, 220V, 1PH
Speed	15 RPM
Initial Boiling Point	> 355°C
Bucket Capacity	200 Liters
Mixing Capacity	75 kg
Bowl Dimension	Ø910 mm x 420 mm (depth)

*We reserve the right to change all technical specifications.